

CAA2010

Fusion of Cultures

Proceedings of the 38th Annual Conference on Computer
Applications and Quantitative Methods in Archaeology,
Granada, Spain, April 2010

Edited by

F. Contreras

M. Farjas

F. J. Melero

BAR International Series 2494
2013

Published by

Archaeopress
Publishers of British Archaeological Reports
Gordon House
276 Banbury Road
Oxford OX2 7ED
England
bar@archaeopress.com
www.archaeopress.com

BAR S2494

CAA2010: Fusion of Cultures. Proceedings of the 38th Annual Conference on Computer Applications and Quantitative Methods in Archaeology, Granada, Spain, April 2010

© Archaeopress and the individual authors 2013

ISBN 978 1 4073 1108 1

Printed in England by Information Press, Oxford

All BAR titles are available from:

Hadrian Books Ltd
122 Banbury Road
Oxford
OX2 7BP
England
www.hadrianbooks.co.uk

The current BAR catalogue with details of all titles in print, prices and means of payment is available free from Hadrian Books or may be downloaded from www.archaeopress.com

Table of Contents

Preface.....	i
 3D INFORMATION SYSTEMS: DOCUMENTING THE PAST	
<i>Iñaki Koroso, Óscar Muñoz</i> 12 Years of Archaeological Data Digital Registry at the Santa María Cathedral of Vitoria-Gasteiz (1997-2009)	1
<i>Geoff J. Avern</i> Discourse on the Use of a 3D Model as a Record of Excavation.....	9
<i>William Limp, Angelia Payne, Snow Winters, Adam Barnes, Jackson Cothren</i> Approaching 3D Digital Heritage Data from a Multi-technology, Lifecycle Perspective.....	15
<i>Piero Gilento, Roberto Parenti, Andrea Vecchi</i> An Integrated System for the Study and Management of Historical Buildings.....	23
<i>Daniel Schuhmann</i> ElKowmGIS: A New Program for the Documentation of Archaeological Sites.....	[31]
<i>Pilar Diarte, María Sebastián, Antonella Guidazzoli, Francesca Delli, Tiziano Diamanti</i> Landscape and Virtual Archaeology: VisArq 1.0.....	39
<i>Enrique Cerrillo-Cuenca, José Juan Sanjosé</i> Mapping and Interpreting Vanished Archaeological Features Using Historical Aerial Photogrammes and Digital Photogrammetry.....	43
 3D MODELLING AND VIRTUAL RECONSTRUCTIONS	
<i>Costas Papadopoulos, Yannis Sakellarakis</i> Virtual Windows to the Past: Reconstructing the ‘Ceramics Workshop’ at Zominthos, Crete.....	47
<i>Andrés Bustillo, Laura Martínez, Mario Alaguero, Lena Iglesias</i> The Church of the Charterhouse of Miraflores in Burgos: Virtual Reconstruction of Artistic Imagery.....	55
<i>Sofia Pescarin, Eva Pietroni, Daniele Ferdani</i> A Procedural Approach to the Modeling of Urban Historical Contexts.....	63
<i>Ethan Gruber, John Dobbins</i> Illuminating Historical Architecture: The House of the Drinking Contest at Antioch.....	71
<i>John Dobbins, Ethan Gruber</i> Modeling Hypotheses in Pompeian Archaeology: The House of the Faun.....	77
<i>Zhang Jiayin, Zhou Mingquan</i> Improved Gamma Ton Tracing Technique Using Height Field Profile Tracing.....	[85]
 3D SCANNING CASE STUDIES	
<i>Alfonso Ippolito, Francesco Borgogni, Antonio Pizzo</i> Digital Mediation from Discrete Model to Archaeological Model: the Janus Arch.....	91
<i>Carlo Inglese, Antonio Pizzo, Luca Senatore</i> Digital Mediation in the Transition from a Discrete Model to Large-scale Archaeological Survey: Survey of the Archaeological Site of Merida.....	99
<i>Klaus Hanke, Thomas Stöllner, Kristof Kovács, Michael Moser</i> Combination of Different Surveying Methods for Archaeological Documentation: the Case Study of the Bronze Age Wooden Chest from Mitterberg.....	107

<i>András Patay-Horváth</i>	
Virtual 3D Reconstruction of the East Pediment of the Temple of Zeus at Olympia. A Mid-term Report.....	[113]
<i>Ursula Quatember, Robert Kalasek, Bernd Breuckmann, Christiane Bathow</i>	
3-Dimensional Documentation of the Hadrian's Temple in Ephesus/Turkey.....	[119]
<i>Thomas Kersten, Maren Lindstaedt, Klaus Mechelke, Burkhard Vogt</i>	
Terrestrial Laser Scanning for the Documentation of Archaeological Objects and Sites on Easter Island.....	[125]
<i>Abel Varela, Miguel Angel Bru, M^a José Iniesto-Alba, Ricardo Izquierdo, Iván Sánchez, Pablo Carballo</i>	
A Study of Defensive Architecture in the al-Andalus City of Vascos from a Topographic Survey with Laser Scanner.....	133
 AGENT-BASED SOCIAL SIMULATION IN ARCHAEOLOGY	
<i>Juan Antonio Barceló, Jose A. Cuesta, Florencia del Castillo, Jose Manuel Galán, Laura Mameli, Francisco J. Miguel, Jose I. Santos, Xavier Vilà</i>	
Simulating Prehistoric Ethnicity. The Case of Patagonian Hunter-gatherers.....	137
<i>Panagiotis Kontolaimos</i>	
Late Bronze Age Mediterranean Urbanism and Depth Map Software: The Cases of Ugarit (Syria) and Enkomi (Cyprus).....	145
<i>Xavier Rubio, José M. Cela</i>	
Large-scale Agent-based Simulation in Archaeology: an Approach using High-performance Computing.....	153
<i>David de la Cruz, Jordi Estévez, Pablo Noriega, Manuela Pérez, Raquel Piqué, Jordi Sabater-Mir, Asumpció Vila, Daniel Villatoro</i>	
Norms in H-F-G Societies. Grounds for Agent-based Social Simulation.....	161
 ANALYTICAL GIS	
<i>Mariza Kormann, Gary Lock</i>	
Dynamic Models to Reconstruct Ancient Landscapes.....	169
<i>Athos Agapiou, Maria Iacovou, Apostolos Sarris</i>	
A Spatial Analysis of the Bronze Age Sites of the Region of Paphos in Southwest Cyprus with the Use of Geographical Information Systems.....	177
<i>Ignacio Fiz, Diana Gorostidi, Jordi López, Marta Prevosti, Josep Abela</i>	
In Conspectu Prope Totius Urbis: an Application of Different Visual Methods at the ager Tarraconensis Landscape.....	185
<i>Helene Simoni</i>	
Archaeological Evaluation of Ground Disturbance Sites in Modern Greek Cities.....	193
<i>Lucile Pillot, Laure Saligny, Clément Moreau, Remi Martineau, Boris Vannière, Marena Gabillot, Isabelle Jouffroy-Bapicot</i>	
Observations of Land Use during the Neolithic Using Exploratory Spatial Data Analysis: Contributions and Limitations.....	201
<i>Antonio Pedro Batarda Fernandes</i>	
GIS Use in Open-Air Rock Art Conservation: the Case of the Côa Valley, Portugal.....	209
<i>Philip Verhagen, Lucian Drăguț</i>	
Discovering the Dutch Mountains: an Experiment with Automated Landform Classification for Purposes of Archaeological Predictive Mapping.....	213
<i>Xavier Rodier, Pablo Ciezar, Anne Moreau</i>	
Using GIS in French Rescue Archaeology. The Choice of Inrap: a Tool for Research at the Scale of Excavation.....	[217]

ARCHAEOLOGICAL ARCHITECTURE

- César Gonzalez -Perez, Rebeca Blanco-Rotea, Cristina Mato, Idoia Camiruaga
A Formal Language for the Description of Historical Architectural Elements..... 221
- Eleftheria Paliou, David J. Knight
Mapping the Senses: Perceptual and Social Aspects of Late Antique Liturgy in San Vitale, Ravenna..... 229
- Lola Vico
“Virtual Restoration” from an Architectonic and Constructive Interpretation of Villa of Livia..... 237

DATABASES AND INFORMATION MANAGEMENT

- Alfonso Fraguas, Antonio Menchero, Antonio Uriarte, Juan Vicent, Susana Consuegra, Pedro Diaz del Río, Nuria Castañeda, Cristina Criado, Enrique Capdevila, Marta Capote
Spatial Data Infrastructures and Archaeological Excavation Data: SILEX, the SDI of the Neolithic Flint Mine of Casa Montero (Madrid, Spain)..... 241
- Franco Niccolucci, Achile Felicetti, Melissa Samaes, Sorin Hermon, Karyn Nys
Ontologies and Semantic Tools for the Management of Full-text Archaeological Documentation. Assessments from the Hala Sultan Tekke Case-study..... 247
- Cristian Farlli, Anna Margherita Jasink
DBAS Web Portal: on-line DataBases on Aegean Subjects.....[251]
- Maria Jose Almeida, Alexandre Matos, Fernando Cabral
The Integrated Archaeological Management System in Cascais, (Portugal): From Management to Public Access.....[255]

FROM NEW GENERATIONS OF WEB SERVICES TO ARCHAEOLOGICAL KNOWLEDGE

- Pascale Chevalier, Eric Leclercq, Arnaud Millereux, Christian Sapin, Marinette Savonnet
WikiBridge: a Semantic Wiki for Archaeological Applications..... 259
- Valentine Roux, Nathalie Aussenac-Gilles
Knowledge Bases and Query Tools for a Better Cumulativity in the Field of Archaeology: The Arkeotek Project.....[267]

GIS APPLICATION

- Patrick Z. Dresch
Assessing Changes in Palaeo-Coastal Morphology Using 3D Surface Modelling..... 273
- José Ángel, Martínez, Antonio Uriarte, Victorino Mayoral, Juan Luis Pecharromán
Geospatial Characterization of Archaeological Sites in La Serena Region (Badajoz) by Direct Methods (DGPS): Capturing and Analyzing Data..... 279
- Marisa Ruiz-Gálvez, Yousef Bokbot, Hipólito Collado, Mohssine ElGraoui, Mercedes Farjas, Eduardo Galán, Abdelkhalek Lemjidi, Carlos Nieto, Pablo de la Presa, Jorge de Torres, José M. Señorán
Rock Art, Landscape and Prehistoric Settlement at the High Atlas (Morocco)..... 287
- Ardit Miti, Eglantina Sejarni
Ongoing Development of the National Sites and Monuments Recording System in Albania..... 291
- Giacomo Landeschi, Marcello Carrozzino
A 3D Model for Detecting and Communicating the Archaeological Risk..... 295
- Silvia Polla, Gerd Graßhoff, Elisabeth Rinner
Explanatory Models in Archaeology: Are Least Cost Paths the Way to Go?..... 299
- Iván Sánchez, Miguel Ángel Bru, Maria José Iniesto-Alba, Ricardo Izquierdo, Pablo Carballo, Abel Varela
Implementation of GIS Techniques for the Management and Graphic Representation of the al-Andalus City of Vascos (Navalmoralejo, Toledo)..... 303
- Athos Agapiou, Andreas Georgopoulos, Charalambos Ioannidis, Marinos Ioannides
A Digital Atlas for the Byzantine and Post Byzantine Churches of Troodos Region (Central Cyprus).....[307]

IMAGE PROCESSING

<i>Christian Hörr, Enrico Kienel, Guido Brunnett</i> Vectorizing Hand-Drawn Vessel Profiles with Active Contours.....	311
<i>Francisco Javier Molina, Javier Mora-Merchan, Julio Barbancho, Carlos León</i> A New CBIR Technology to Help Reassembling Moorish Ornamental Carvings.....	319
<i>Diego Jiménez-Badillo, Salvador Ruiz-Correa, Wilberth García-Alfaro</i> Developing a Recognition System for the Retrieval of Archaeological 3D Models.....	325
<i>Angelika Garz, Melanie Gau, Robert Sablatnig</i> Text Detection in Ancient Manuscripts Using Orientation- and Frequency-Signatures of the Texture.....	[333]

INTEGRATING TECHNOLOGIES FOR ARCHAEOLOGICAL APPLICATIONS

<i>Miguel Ángel Bru Castro, María José Iniesto-Alba, Ricardo Izquierdo, Iván Sánchez Valiño, Abel Varela Abelleira, Jorge de Juan Ares, Pablo Carballo Cruz,</i> The Management of Archaeological Information at the Site of Vascos (Navalmoralejo, Toledo): Approach, Data Integration and Representation in an Intra- and Intersite Model.....	337
<i>Paola Di Giuseppantonio Di Franco, Fabrizio Galeazzi</i> Western Han Dynasty Mural Tombs: from the Use of Integrated Technologies to the Cybermap.....	[345]
<i>Lola Vico, Valentina Vassallo</i> Methodologies and Techniques for the Reconstruction of Ancient Architectures.....	353

ISSUES IN LEAST-COST ANALYSIS

<i>Dimitrij Mlekuž</i> Time Geography, GIS and Archaeology.....	359
<i>Irmela Herzog, Alden Yépez</i> Least-Cost Kernel Density Estimation and Interpolation-Based Density Analysis Applied to Survey Data...	367
<i>Irmela Herzog</i> Theory and Practice of Cost Functions.....	375
<i>Philip Verhagen</i> On the Road to Nowhere? Least Cost Paths, Accessibility and the Predictive Modelling Perspective.....	383

NEW TECHNOLOGIES IN ARCHAEOLOGICAL MUSEUMS

<i>Per Stenborg, Jonas Tornberg, Johan Ling, Marita Söderström, Christopher Sevara, Liane Thuvander</i> Piloting Time-Tours: Experiences from the Development and Implementation of a Computer Based Exhibition in West Sweden.....	391
<i>Genevieve Lucet, Araceli Casas, Irais Hernández</i> Multilayered Virtual Reality System for the Comparative Study of Measuring and Representation Methods of an Archaeological Site.....	[397]
<i>Eliane Massung, Kirsten Cater</i> Location-based Interpretation at Archaeological and Heritage Sites: Visitor Reception to New Media Tours.....	403
<i>Robyn Gillam, Christopher Innes, Jeffrey Jacobson</i> Performance and Ritual in the Virtual Egyptian Temple.....	[407]
<i>Mieko Matsumoto, Espen Uleberg</i> National Web Portals for the Norwegian University Museums.....	411
<i>Rimvydas Laužikas</i> Virtual Museum between Web Page and Second Life.....	[415]
<i>Angeliki Chrysanthi, Graeme P. Earl</i> Management of Archaeological Walks and Emerging Technologies: Building Up a Framework.....	[419]

NEW TECHNOLOGIES IN ARCHAEOLOGY HIGHER EDUCATION

Kari Uotila, Isto Huvila, Jari-Pekka Paalassalo

Learning, Access and MoBility in Cultural Heritage Education: Developments, Lessons and Findings from the Project..... 423

Maurice Murphy, Lloyd Scott

Historic Building Information Modelling A Virtual Learning Tool.....[427]

Alexei Vranich, Jackson Cothren, Adam Barnes

Recreating Cusco in Three Dimensions.....[431]

OPEN SOURCE IN ARCHAEOLOGY

Stefano Costa

Free and Open Source Software in Archaeological Research Processes: an Application to the Study of African Red Slip Ware in Northern Italy..... 435

Stefano Costa, Luca Bianconi, Giovanni Luca Annibale Pesce

Open Source Software in Archaeology: Beyond Passive Users..... 443

Alessandro Bezzi, Luca Bezzi, Rupert Gietl, Sandra Heinsch, Walter Kuntner, Giuseppe Naponiello

Aramus Excavations and Field School. Experiences in Using, Developing, Teaching and Sharing Free/Libre and Open Source Software..... 449

Michael Olsen, Kevin Ponto, Jason Kimball, Maurizio Seracini, Falko Kuester

2D Open-source Editing Techniques for 3D Laser Scans..... 455

Nicolò Dell'Unto, Matias Wallergård, Matteo Dellepiane, Stefan Lindgren, Joakim Eriksson, Bodil Petersson, Roeland Paardekoooper

An Experiment of Integrated Technologies in Digital Archaeology: Creation of New Pipelines to Increase the Perception of Archaeological Data.....[463]

QUANTITATIVE METHODS IN ARCHAEOLOGY

Rob Stephan, Kevin Carlberg

Gappy Data Reconstruction and Applications in Archaeology..... 469

Rimvydas Laužikas

Information Entropy for Archaeological Research.....[477]

Maria Joana Gabucio, Jordi Rosell, Isabel Cáceres

Statistics Applied to Skeletal Representation Studies. A Methodological Approach..... 483

Vincent Mom, Erik Drenth

Continuity and Change: a Study on the Computer-aided Classification of Late Neolithic and Early Bronze Age Pottery from the Netherlands, Part Two: The Application of Dynamic Simulations..... 487

Bill Wilcox

Archaeological Predictive Modelling of Late Anglo-Saxon Settlement in East Anglia and Norfolk, England.....[491]

Alessandro Di Ludovico, Sergio Camiz, Giovanni Pieri

Comparative Use of Mathematical Models in an Investigation on Mesopotamian Cylinder Seals.....[495]

RECORDING, INTERPRETATION AND EVALUATION OF HIGH DEFINITION 3D SURFACE DATA

Michael Hödlmoser, Sebastian Zambanini, Martin Kampel, Mario Schlapke

Evaluation of Historical Coin 3D Models..... 499

Klaus Mechelke, Mike Schnelle

Architectural Survey by Terrestrial Laserscanning – a New Method for Efficient Plan Creation..... 505

Paul Boon, Martine de Vries-Melein

Cylinder Seals Revealed.....[511]

Jose A. Barrera, Jose A. Benavides

3D Scanning. Low-cost Alternatives in Archaeology.....[519]

REMOTE SENSING AND NON INTRUSIVE METHODS

Michael Märker, Felix Bachofer, Geraldine Quénéhervé, Christine Hertler, Charles Saanane, Liane Giemsch, Heinrich Thiemeyer, H.

Modelling the Spatial Distribution of Archaeological Sites in the Makuyuni Region, Tanzania..... 523

Apostolos Sarris, Michael Teichmann, Paraskevi Seferou, Eleni Kokinou

Investigation of the Urban-Suburban Center of Ancient Nikopolis (Greece) through the Employment of Geophysical Prospection Techniques.....[531]

Nicolas Poirier, Rachel Opitz, Laure Nuninger, Kristof Ostir

The ModAgSpace Project: Lidar Data and Landscape Archaeology in Southern France..... 539

Karsten Lambers, Thomas Reitmaier

Silvretta Historica: Satellite-assisted Archaeological Survey in an Alpine Environment..... 543

SEMANTIC INFRASTRUCTURES IN ARCHAEOLOGY

Gerald Hiebel, Klaus Hanke, Ingrid Hayek

Methodology for CIDOC CRM Based Data Integration with Spatial Data..... 547

Ceri Binding, Keith May, Renato Souza, Douglas Tudhope, Andreas Vlachidis

Semantic Technologies for Archaeology Resources:Results from the STAR Project..... 555

Leif Isaksen, Graeme Earl, Kirk Martinez, Nicholas Gibbins, Simon Keay

Interoperate with Whom? Archaeology, Formality and the Semantic Web..... 563

Yi Hong, Monica Solanki, Lin Foxhall, Alessandro Quercia

A Framework for Transforming Archaeological Databases to Linked Ontological Datasets..... 569

Thomas Eckart, Reinhard Förtsch, Sebastian Kruse, Marco Büchler

Accessing, Visualizing and Annotating Geographical Information in Archaeology.....[575]

Geoff Carver, Matthias Lang, Holger Türk

Recent Developments in the ArcheoInf Project – Towards an Ontology of Archaeology.....[581]

TAKING THE LONG VIEW: PUTTING SUSTAINABILITY AT THE HEART OF DATA CREATION

Keith Kintigh

Sustaining Database Semantics..... 585

Peter McKeague

Towards the Development of a Sustainable National Record: a View from Scotland.....[591]

Jessica Trelogan, Adam Rabinowitz, Maria Esteva, Stephen Pipkin

What Do We Do with the Mess? Managing and Preserving Process History in Evolving Digital Archaeological Archives..... 597

GIS Use in Open-Air Rock Art Conservation: the Case of the Côa Valley, Portugal

Fernandes, A.P.B.

Côa Park Foundation, Portugal
batarda@hotmail.com

The use of GIS space analysis tools will be examined in reference to the conservation of the Côa Valley rock art. It is proposed that, conservation wise, each outcrop containing rock art is differently affected by slope, aspect and solar radiation. Therefore, the accurate determination of the precise situation of each outcrop regarding the above-mentioned spatial distribution variables will be a valuable aid in the full characterization and assessment of the condition of outcrops with rock art.

Keywords: Open-air rock art conservation, spatial distribution of rock art, Côa Valley, Portugal

1. Introduction

The Côa Valley Archaeological Park (PAVC, www.arteco.pt), located in Northern Portugal, possesses an extraordinary collection of ancient open-air rock art motifs. Prehistoric imagery ranges from the Upper Paleolithic (Figure 1) to the Iron Age, and is located on the banks of the Côa and Douro Rivers and their tributaries (BAPTISTA, 1999). So far, around 40 different rock art sites possessing around 1000 engraved and painted outcrops comprising a total of more than 5000 individual motifs were identified (Figure 2). Due to its significance, the Côa Valley rock art has been inscribed in the World Heritage List (UNESCO, 1999).

Since 2000, the author has been developing a Conservation Program for the rock art at Côa Valley

(FERNANDES, 2007). The first stages of research attempted to holistically understand and characterize the origin and activity of the interconnected weathering dynamics that act upon the rock art outcrops (FERNANDES, 2006). Currently, undergoing research implies the creation of a method to systematically evaluate the condition of the engraved outcrops, thus prioritizing future conservation work by establishing an urgency intervention scale (FERNANDES, 2009).

Within a total of 1000 rock art outcrops, it is essential to determine which ones are in more urgent need of intervention. Therefore, the urgency scale is a vital tool to-



Figure 1: Upper Paleolithic representation featuring a two-headed goat in Quinta da Barca rock 1. (Photo: BAPTISTA 1999).




Figure 2: Location of the Côa Valley rock art sites.




Figure 3: Schematic illustration of mechanical instability in the slopes caused by gravitational pressure aided by seismic forces and rock expansion and retraction cycles.

wards informed conservation, and thus, in extending the ‘life expectancy’ of the rock art outcrops.

In order to establish which outcrops are in worse condition it was indispensable to identify evaluation parameters. Some have to do with geology (rock characteristics namely petrology, porosity, rock strength and so on) others with biology (such as lichen colonization). Once all active parameters were identified it is possible to compare the overall condition and situation of each outcrop, thus ranking them regarding the urgency of performing conservation work. Since there are almost 1000 outcrops that possess rock art motifs, a sample of 40 was chosen. These 40 outcrops will have their condition thoroughly characterized by examining each of the identified parameters.

2. Open-air rock art conservation oriented GIS spatial analysis

Some of the identified parameters have to do with Geomorphology issues. Since the GIS ArcView 9.2 software suite offers a powerful spatial analysis tool, it was decided to be used to determine aspect, slope, contour and solar radiation. The work base was a 10m resolution DEM of the area of the PAVC, supplied by Instituto Geogrfico Portugus (www.igeo.pt) of which a TIN elevation model can be seen in Figure 2.

2.1. Location of the rock art outcrops

Since the precise location of each rock art outcrop in the valley is known, it is possible to determine topographic situation, namely rise. Using ArcMap statistics tool, it is possible to conclude that more than half are situated in altitudes between 110 and 218 meters, that is, at the foot of sharply inclined hills (see next subsection.). It is also possible to determine average (212 m) and median altitudes (190 m) of the Coa Valley rock art outcrops.




Figure 4: Location of Rock 16 from the Vale de Jos Esteves (16VJE) site.

2.2. Slope

It has been demonstrated that when slope angle increases, the susceptibility for landslides or rock slope failure also increases (YALCIN *et al.*, 2007; SUMMERFIELD, 1991). Slope dynamics play an important part in outcrop instability. Gravity itself will force different sized elements (from small soil particles to heavier loose rock blocks) to roll downhill which may result to serious damage to the outcrops located below. Furthermore, the hill itself applies great pressure to the outcrops located at its base. The hillsides are in a continuous process of trying to reach a more stable profile (in fact, to have less pronounced slopes). Therefore, the progressive dismantlement of the outcrops located at its base is a part of that process (Figure 3).

After calculating the slope for the entire area of study, and for the sites included in the sample (Figure 4), it is possible to accurately ascertain the slope of the hillsides where each engraved outcrop is situated (Figure 5).




Figure 5: Location (regarding slope) of the rock art sites that have engraved outcrops included in the sample.

2.3. Aspect

YALCIN *et al.* (2007) review the ways in which aspect can contribute to mass wasting events, all connected with meteorological phenomena: exposition to rainfall, wind and solar radiation. On the other hand, EGLI *et al.* (2006) have investigated the role of aspect in rock weathering, arriving to the conclusion that there is a marked difference in weathering between south and north facing rock surfaces (greater in north facing surfaces).

Again using the DEM it was possible to determine aspect in the area of study. Following YALCIN *et al.* (2007), aspect was divided in 5 categories: Flat ($-1^{\circ}/0^{\circ}$), North ($315^{\circ}/45^{\circ}$), East ($45^{\circ}/135^{\circ}$), South ($135^{\circ}/225^{\circ}$) and West ($225^{\circ}/315^{\circ}$) (Figure 6). Specific aspect cartography of the rock art sites and outcrops in the sample was also produced in a similar fashion, as the maps shown in Figures 4 and 5.

2.4. Solar radiation

It is known that rocks undergo expansion and retraction cycles. This behavior can be induced by solar radiation which determines temperature and moisture of any given rock surface (BENNIE *et al.*, 2008).




Figure 6: Aspect in the study area with indication of 16VJE, located at the foot of a North facing slope.

Solar radiation was calculated in the area of study with the help of the previously mentioned DEM. It is possible, resorting to the raster calculator, to determine the amount of radiation each individual engraved outcrop endures (Figure 7).

3. Discussion

Beyond the primary goal of identifying parameters to distinguish the condition of different outcrops, GIS spatial analysis has made possible to reach some interesting




Figure 7: Average solar radiation affecting 16VJE in 2009.

conclusions regarding the spatial positioning of rock art sites in the Côa Valley. For instance, after calculating the percentage of each aspect class within a rectangular river corridor where the huge majority of rock art sites are located, an even distribution of each class was apparent with the exception of flat terrain that accounted for only 2.75% (N equaled 24.36%, E 23.33%, S 24.66% and W 24.86%).

Previous estimation established that the great majority of all Côa rock art sites have an Eastern aspect (46,8%, against 29,8 for S, 14,9% for W and a mere 8,5% for N). Considering these discrepancies, one main explanation arises. Differential conservation issues may have determined that less rock art outcrops situated in North facing slopes (thus exposed to harsher conditions) have survived until today but research is still ongoing regarding this matter

Conclusion

GIS use in research and management of archaeological remains in general, or rock art sites in particular, is common. However, to the best of the author's knowledge, this is the first time GIS methodologies are being specifically used in open-air rock art *conservation*. GIS spatial analysis within ArcView 9 is a powerful tool to obtain important statistical data, or to create suitable maps and models for illustration purposes (for instance, Figure 8). However, in Archaeology, statistical data and cartography are nothing if not used as an aid to interpret the past, or in facilitating the conservation and preservation of significant cultural heritage.

The spatial analysis possibilities presented by GIS were essentially used towards the goal of devising methods to identify the conservation state of rock art outcrops. Rise, aspect, slope and solar radiation were the factors considered in present research. Preliminary consideration of the first results suggests that there is a clear pattern in the spatial distribution of (surviving) rock art outcrops

in the valley. However this pattern might be explained, the acquired data shows that only when GIS use goes beyond plain, 'push-button' solutions, spatial analysis does become a key element in, for instance, the creation of innovative archaeological data interpretation models, deriving pertinent background data useful in understanding rock art weathering dynamics, or in planning, devising and implementing heritage conservation actions.




Figure 8: Location of VJE16 pictured in a 3D elevation model produced with ArcScene.

References

- BAPTISTA, A. M., 2009. *No Tempo Sem Tempo: A Arte dos Caçadores Paleolíticos do Vale do Côa*. Parque Arqueológico do Vale do Côa, Vila Nova de Foz Côa.
- BENNIE, J., HUNTLEY, B., WILTSHIRE, A., HILL, M., BAXTER, R., 2008. Slope, aspect and climate: Spatially and implicit models of topographic microclimate in chalk grassland. *Ecological Modelling*, 216, pp. 47-59.
- EGLI, M., MIRABELLA, A., SARTORI, G., ZANELLI, R., BISCHOF, S., 2006. Effect of North and South exposure on weathering rates and clay mineral formation in Alpine soils. *Catena*, 67 (3), pp. 155-174.
- FERNANDES, A. P. B., 2006. Understanding an unique conservation work environment: The case of the Côa Valley rock art outcrops. In Rodrigues, J. D., Mimoso, J. M. (eds.) *Theory and Practice in Conservation: A Tribute to Cesare Brandi*, pp. 323-332. LNEC, Lisbon.
- FERNANDES, A. P. B., 2007. The Conservation Programme of the Côa Valley Archaeological Park: Philosophy, objectives and action. *Conservation and Management of Archaeological Sites* 9 (2), pp. 71-96.
- FERNANDES, A. P. B., 2009. Conservation of the Côa Valley rock art outcrops: A question of urgency and priorities. *Antiquity* 83 (319). Available from: <http://antiquity.ac.uk/projgall/batarda319/>.
- SUMMERFIELD, M., 1991. *Global Geomorphology: An Introduction to the Study of Landforms*. Longman, Harlow.
- UNESCO, 1999. *Report on the twenty-second session of the World Heritage Commission. Kyoto, Japan. 30 November – 5 December 1998*. Available from: <http://whc.unesco.org/en/list/866>.
- YALCIN, A., BULUT, F., 2007. Landslide susceptibility mapping using GIS and digital photogrammetric techniques: A case study from Ardesen (NE-Turkey). *Natural Hazards*, 41 (1), pp. 201-22.