

6. BIBLIOGRAFIA

1. AITHAL, Kiran *et al.* - **Juglone, a naphthoquinone from walnut, exerts cytotoxic and genotoxic effects against cultured melanoma tumor cells.** Manipal Life Sciences Centre. Manipal: Manipal University, India. 2009.
2. ALLISON, Steven D.; NIELSEN, Caroline and HUGHES, Flint R. 2006. - **Elevated enzyme activities in soils under the invasive nitrogen-fixing tree *Falcataria moluccana*.** Soil Biology & Biochemistry 38(2006):p.1537-1544. Consult. 25 Ag. 2011. Disponível na internet: <URL: http://www.fs.fed.us/psw/publications/hughes/psw_2006_hughes003.pdf
3. AMARAL, Joana S.; SEABRA, Rosa M.; ANDRADE, Paula B. VALENTÃO, Patrícia; PEREIRA, José A.; FERRERES, Federico. **Phenolic profile in the quality control of walnut (*Juglans regia* L.) leaves.** Food Chemistry, Volume 88, issue 3 (December, 2004), p. 373-379. ISSN: 0308-8146.
4. AMRO, Bassam - **A Quantitative Study of the Effect of pH on the Dyeing Process with Juglone.** Jordan Journal of Pharmaceutical Sciences, 2008. Volume 1, No. 2.
5. ANAYA, Ana Luisa - Allelopathy as a tool in the management of biotic resources in agroecosystems. Critical Reviews in Plant Sciences. 1999. Volume 18, Number 6, pp. 697-739.
6. BASSAM, Amro. **A Quantitative Study of the Effect of pH on the Dyeing Process with Juglone.** JORDAN JOURNAL OF PHARMACEUTICAL SCIENCES. 2008. Volume 1, No. 2.
7. BERG, Bjorn; DE SANTO, Amália Virzo; RUTIGLIANO, Flora Ângela; FIERRO, Ângelo and EKBOHM, Gunnar. **Limit values for plant litter decomposing in two contrasting soils -**

- influence of litter elemental composition.** Acta Oecologica . 2003. Volume 24, Issues 5-6, Páginas 295-302.
8. BERTIN, C.; YANG, X. and WESTON, L.A.**The role of root exudates and allelochemicals in the rhizosphere.** Plant and Soil. 2003. Volume 256: pp 67- 83. Springer.
 9. BHOWMIK, Prasanta C. E INDERJIT. **Challenges and opportunities in implementing allelopathy for natural weed management.** 2003. Volume 22, pp 661-671.
 10. CHAO, Sheng-Hao.; GREENLEAF, Arno.L. E PRICE, David H. **Juglone, an inhibitor of the peptidyl-propyl isomerase Pin 1, also directly blocks transcription.** Oxford University Press. *Nucleic Acids Research*, (2001). Volume 29, nº3, pp 767-773.
 11. CHOU, Chang-Hung. **Roles of allelopathy in plant biodiversity and sustainable agriculture.** Critical Reviews in Plant Sciences. 1999. Volume 18, Issue 5, pages 609-636.
 12. CHRISTOFFOLETI, P. J.; VICTORIA, Filho R.; SILVA, C. B. da. **Resistência de plantas daninhas aos herbicidas.** Planta Daninha, Brasília, volume 12, nº 1, (1994), pág. 13-20. CNPH.
 13. COBB, Andrew. **Herbicides and plant physiology.** London: Chapman & Hall, 1992.176 p.
 14. DELACHIAVE, Maria Elena A. P.; ONO, ELizabeth Orika e RODRIGUES, João Domingues. **Efeitos alelopáticos de grama-seda (Cynodon dactylon (L.) Pers.) na germinação de sementes de pepino, milho, feijão e tomate.** Revista Brasileira de Sementes, Brasília. 1999. Volume 21, numero 1, pág. 194-197

15. DIAGNOSTICOS/FILEIRAS. Consulta em Agosto 2011.
Disponível em: www.gpp.pt/pbl/diagnosticos/subfileiras/Noz.pdf
16. DUNCAN, D.B. **Multiple range and multiple F tests**. *Biometry* 11:1-42; 1955. Numero 4. (1997). Consulta na internet: <http://garfield.library.upenn.edu/classics1977/A1977DM02600001.pdf>.
17. FERREIRA, Maria Lúcia; BARBOSA, Luiz Cláudio de Almeida; DEMUNER, António Jacinto; SILVA, António Alberto da e PEREIRA, Rita de Cássia. **Avaliação da atividade herbicida de algumas quinonas**, Acta Scientiarum (UEM), Maringa. 2000. Volume 22, número 4, pag. 999-1003
18. FUNT, R.C. E MARTIN, J. **Black walnut toxicity to plants, humans and horses**, HYG - 1148-93. Ohio State University Extension Factsheet. (1999).
19. GERMAIN, E.; ALETÀ, N.; NINOT, A.; ROUSKAS, D.; ZAKINTHINO G.; PEREIRA, J. GOMES; MONASTRA, F. ET LIMONGELLI, F. **CIHEAM - Options Mediterraneennes**. Disponível na internet: <http://ressources.ciheam.org/om/pdf/b16/97606098.pdf>. Consulta em agosto de 2011.
20. GOMES Pereira, J. **Nut Production and Industry in Europe, Near East and North Africa: Proceedings of the "Expert Consultation on the Promotion of Nut Production in Europe and Near East Regions"**. FAO. Yalova, Turquie. 1990.

- 21.HEJL, Angela M.; EINHELLIG, Frank A. e RASMUSSEN, James A. **Effects of juglone on growth, photosynthesis, and respiration.** Journal of Chemical Ecology. Volume 1. 2002 Springer Netherlands Consulta na internet : agosto de 2011 : <http://www.springerlink.com/content/rt73w17146616130/about/>

- 22.HENNING, L.; CHRISTNER, C.; KIPPING, M.; SCHELBERT, B.; RUCKNAGEL, K.P.; GRABLEV, S.;KULLERTZ, G. E FISCHER, G. **Selective inactivation of parvulin-like peptidyl prolylcis/trans isomerases by juglone.** Biochemistry. 1998. 37: pp 5953-5960.

- 23.HOLLOWAY, P.J., EDGERTON, M. **Effects of formulation with different adjuvants on foliar uptake of difenzoquat and 2, 4-D: model experiments with wild oat and field bean.** Weed Research. 1992. Volume 32, pages 183-95.

- 24.HOLT, Jodie S. e LEBARON, Homer M. **Significance and Distribution of Herbicide Resistance.** Weed Science Society of America. 1990. Volume 4, pp. 141-149.

- 25.INVENTORY OF WALNUT RESEARCH GERMPLASM AND REFERENCES. Institut National de la Recherche Agronomique. 2004. FAO. Rome. 264p.

- 26.JASIENIUK, Marie; BRÛLÉ-BABEL, Anita L. e MORRINSON, Ian N. **The Evolution and Genetics of Herbicide Resistance in Weeds.** Weed Science Society of America, 1996. Volume 44, nº 1, page. 176-193.

- 27.KEBEDE, Z. Allelopathic chemicals: their potential uses for weed control in agroecosystems. Colorado StateUniversity.1994. Disponível:http://www.colostate.edu/Deps/Entomology/courses/en570/papers_1994/Kebede.htm._Acesso em Junho de 2011.

- 28.KILLHAM, K. e FOSTER, R. **Soil ecology**. Cambridge University Press. 1996. 242 p.

- 29.KIM, D. Coder. **Seasonal changes of juglone potential in leaves of black walnut (*Juglans nigra* L.)**. Journal of Chemical Ecology. Volume 9,Nº 8, 1993.Consulta na internet: agosto 2011: <http://www.springerlink.com/content/x2372j58247m588m/>

- 30.KOHLI, R.K.; BATISH, D.R. E SINGH, H.P. **Allelopathic interactions in agroecosystems**, chapter 21. Springer, Berlin. 2006.pp 465-493.

- 31.LEBARON, H. M. **Distribution and seriousness of herbicide resistant weed infestations worldwide**. Oxford Butterworth-Heinemann. 1991, pp. 27-43.

- 32.LILLO, A.L.; CÁCERES. J.M.S.L. **Arboles en España – Manual de identificación**. 2ªedição. Ediciones Mundi-Prensa, (2004).

- 33.LORENZI, H. **Manual de identificação e controle de plantas daninhas: plantio direto e convencional**. 4ªedição. Nova Odessa Plantarum. 1994. 299 page.

- 34.MACÍAS, F. A. Oliveros, BASTIDAS, A.; MARÍN, D.;CARRERA, C.; CHINCHILLA, N. E MOLINILLO G., José. **Plant biocommunicators: their phytotoxicity, degradation studies**

and potential use herbicide models. Perspectives on natural biopesticides. Phytochem. 2007. pp 179-194.

- 35.MUZIK, T.J. **Weed biology and control.** New York McGrawHill. 273p.1970. Consulta na internet agosto 2011: <http://www.cabdirect.org/abstracts/19702302385.html;jsessionid=137F7F576DD11C4610A805188212C7E3>.

- 36.OLIVEIRA, Ivo; SOUSA, Anabela; FERREIRA, C.F.R. Isabel; BENTO, Albino; ESTEVINHO, Letícia E PEREIRA, José Alberto.**Total phenols, antioxidant potential and antimicrobial activity of walnut (*Juglans regia* L.) green husks.** Journal Article: Food and Chemical Toxicology, 2008. volume 46. pp 2326-2331.

- 37.PEREIRA, José Alberto A; OLIVEIRA, Ivo A; SOUSA, Anabela A; VALENTÃO, Patrícia B; ANDRADE, Paula B. B; FERREIRA, Isabel C.F.R. A; FERRERES, Federico C; BENTO, Albino A; SEABRA, Rosa B; ESTEVINHO, Letícia A. **Walnut (*Juglans regia* L.) leaves: Phenolic compounds, antibacterial activity and antioxidant potential of different cultivars.** Food Chem Toxicol. Volume 45. 2007. Consulta na internet em agosto de 2011: <http://www.mendeley.com/research/walnut-juglans-regia-l-leaves-phenolic-compounds-antibacterial-activity-and-antioxidant-potential-of-different-cultivars>.

- 38.RICH, Peter R. **Quinone binding sites of membrane proteins as targets for inhibitors.** Pesticide. Science, 1996. Volume 47. Pages 287-296.

39. RIETVELD, W.J. **Allelopathic effects of juglone on germination and growth of several herbaceous and woody species.** Journal of Chemical Ecology. 1983. Volume 9. Nº 2.

40. RODRIGUES, Luís Miguel da Silva Magalhães. **Efeito alelopáticos de juglona e de extractos de *J. regia* L. e de *J. nigra* L. em *Hakea salicifolia* (Vent.) B. L. Burtt e *Acacia melanoxylon* R. Br.** 2008. Mestrado em Biodiversidade e Biotecnologia Vegetal. Faculdade de Ciências e Tecnologia Universidade de Coimbra.

41. SINGH, H.P.; BATISH, Daizy R. e KOHLI, R.K. **Allelopathic interactions and allelochemicals: new possibilities for sustainable weed management.** Critical Reviews in Plant Sciences. 2003. Volume 22. Pages 239-311.

42. SOUZA FILHO, A.P.S.; BORGES, F.C. E SANTOS, L.S. **Análise comparativa dos efeitos alelopáticos das substâncias químicas titonina e titonina acetilada.** Planta Daninha. Viçosa-MG. 2006. Volume 24. Paginas 205-210.

43. SOUZA FILHO, A. P. S.; PEREIRA, A. A. G.; BAYMA, J. C. **Aleloquímico produzido pela gramínea forrageira *Brachiaria humidicola*.** Planta Daninha, 2005. Volume 23. Numero 1, pp 25-32,

44. STOUGAARD, R.M. **Adjuvant combinations with quizalofop for wild oat (*Avena fatua*) control in pepermit (*Mentha piperita*).** Weed Technology. 1997. Volume 11, pages 45-50.

- 45.WVU.** 1999. Black walnut toxicity. Center for Agricultural & Natural Resources Development. West Virginia University Extension Service. 1999. Acesso em Junho de 2011. Disponível em: <http://www.wvu.edu/~agesten/hortcult/fruits/blkwalnut.htm>
- 46.VIDAL, R. A. e MEROTO, A. Resistência de plantas daninhas aos herbicidas.** Herbicidologia. Porto Alegre. 2001. Páginas 138-148.
- 47.ZAR, Jerrold H. Biostatistical Analysis.** 3 edição. 1996.New Jersey, USA. Preutice-Hall.